

# Veloucid<sup>®</sup>

---

**Description** Double-performing emulsion product to be applied post-milking by dipping.

**Strengths** The application of **Veloucid<sup>®</sup>** provides the following key benefits:

- Film forming emulsion based on iodine for fast and broad-spectrum disinfection of pathogens, including those known to cause damage to the udder and to affect milk production in quality and quantity
- Forms a unique hydrated lipidic film, rich in skin conditioning agents that maintains excellent teat skin condition throughout the year.
- By maintaining excellent teat skin condition, the risk of dirt and pathogens adhering to the teat is minimized
- Ensures optimal protection during cold weather.

**Properties**

Appearance:	light brown liquid
Key ingredient(s):	Iodine (PVP), 0,11 g per 100 g
pH at 20°C:	3.8 – 5.0
Density at 20°C:	0.98 – 1.02
Storage temperature:	+5°C to +25°C

<b>Application</b>	What:	Teat disinfection
	When:	After milking
	How:	By dipping
	Use concentration:	Ready to use
	Equipment:	<b>ECOLAB's EasyDip Cup</b> or any kind of dipping system
	Recommendation:	Before the next milking, clean the teats by using ECOLAB's prefoaming or wiping technology.

## Disinfection

## Application details

<b>Bactericidal efficacy at 30°C</b> in accordance with DIN EN 1656 (suspension test)			
Test Organism	Contact time	Log Reduction Factor	Dirty conditions
	[min]	[LogR]	[1% skim milk]
<b>Gram-positive bacteria</b>			
<i>Staphylococcus aureus</i> (DSM 799)	1	≥5	RTU
<i>Streptococcus uberis</i> (ATCC 19436)	1	≥5	RTU
<b>Gram-negative bacteria</b>			
<i>Escherichia coli</i> (DSM 682)	1	≥5	RTU

<b>Yeasticidal efficacy at 30°C</b> in accordance with DIN EN 1657 (suspension test)			
Test Organism	Contact time	Log Reduction Factor	Dirty conditions
	[min]	[LogR]	[1% skim milk]
<i>Candida albicans</i> (DSM 1386)	5	≥4	RTU

Microbial efficacy at 20°C in accordance with DIN EN 1500 (surface test)			
Test Organism	Contact time	Log Reduction Factor	
	[min]	[LogR]	
<b>Gram-negative bacteria</b>			
<i>Escherichia coli</i> K12 (DSM 11250)	5	Mean RF of reference not significantly higher than that of the product : The requirements of the standard were fulfilled	RTU

Microbial efficacy at 30°C in accordance with DIN EN 14476 (suspension test)			
Test Organism	Contact time	Log Reduction Factor	
	[min]	[LogR]	[1% skim milk]
<b>Gram-negative bacteria</b>			
<i>Vaccinia virus - Elstree strain</i>	5	≥4	RTU

1) The microorganisms tested are in accordance with the guidelines laid down in the EN methodologies and in EN14885: Application of European Standards for chemical disinfectants and antiseptics. The species used are representative species that take into account their relevance to practical use, susceptibility for disinfectants and adequacy for laboratory testing.

**Safety &  
Precautions**

The relevant hazards identifications of **Veloucid®** are given in the EC Safety Data Sheet. If any questions arise in this context please contact your Ecolab representative.

Keep container tightly closed after use. Store in original container between 5°C and +25°C. Do not empty product into drain. Dispose of packaging only if emptied and closed.

Use biocides safely. Always read the label and product information before use.

The statements, information and data presented herein are believed to be accurate and reliable. The information describes the characteristic features of **Veloucid®** in ordinary use but can not be taken as a guarantee, express warranty or implied warranty for the suitability for a particular purpose and shall not extend mandatory warranty rights (if any). The specifications and performance may vary subject to the operational conditions. Since numerous parameters will influence product performance and applicability, this information does not exonerate the user from liability with respect to the suitability of the product and the appropriate safety measures to be taken. Moreover, a possible infringement of patent rights must be avoided at all times.

(Version January 2019)